

Structural
Retainment of Soil
 Retained Soil Systems (RSS), Wall / Slope

List # 9.70.56
 Page 1 of 4
 Date: 01-Oct-2021

CUSTODIAL OFFICE : SO - Foundations - (416) 235-3715

NOTES:

- Systems eligible for inclusion in MTO work are defined during the project design phase and identified in contract documents.
- Maximum angle is measured from the backface of the horizontal.
- Maximum wall height is for each continuous tier at maximum slope.
- Performance (Perf in header) is a rating either High (H), Medium (M) or Low (L).
- Appearance (App in header) is a rating either High (H), Medium (M) or Low (L).
- Acceptance (Acc in header) is a category, with status of Demonstration (DE) or Acceptance (A). Both eligible to bid MTO contracts.
- RSS is also identified as mechanically stabilized earth (MSE).
- Traffic Barrier - Y (yes) designates approved cast-in-place concrete traffic barrier for use with specific RSS.
- Wall height greater than 12m requires project-specific review by MTO.
- Code requirements in CHBDC CSA S6-19 Section 6.19 - MSE Wall Systems.

Company	RSS No.	Trade Identity	System	Max Angle (Deg)	Max Wall Height	App	Acc	Perf	Traffic Barrier
Ontario Source: Armtec LP 41 George St Guelph ON N1H 1S5 Canada Tel: 800-265-9391 Fax: 519-763-0437 Toll Free: 877-527-6832 Web: www.armtec.com	6	GEOWEB / Mirafi XT - Ontario Supplier: Layfield	Stacked Geocell, Tieback	70	8 m	M	A	M	N
	23	GEOWEB / Mirafi XT - Ontario Supplier: Layfield	Geocell on Slope Face, Tieback, Wrapped	55	6 m	L	A	L	N
	29a	TC Mirafi Woven Geotextile	Temporary	90	8 m	L	A	L	N
	29b	TC Mirafi Woven Geotextile	Temporary	90	8-10 m	L	DE	L	N
	32	GEOWEB / Mirafi XT - Ontario Supplier: Layfield	Geocell on Slope Face, Tieback	35	6 m	L	DE	L	N
	41	TRM, Mirafi XT	TRM, Geogrid Tieback	35	6 m	L	DE	L	N
	42	TRM, Mirafi XT	TRM, Geogrid Tieback, Wrapped	45	6 m	L	DE	L	N
Ontario Source: Atlantic Industries Limited 640 Waydom Drive Ayr ON N0B 1E0 Canada Tel: 519-622-8600 Fax: 519-622-1372 Toll free: 877-245-7473 Email: ontsales@ail.ca Web: www.ail.ca	33	Atlantic Wire Wall	Temporary	90	8 m	L	A	L	N
	43	Vist-A-Wall	Pre-cast Panel, Tie-Back	90	10 m	H	A	H	Y
	52	Vist-A-Wall Grid Strip	Pre-cast panel, Grid Strip reinforcement	90	10 m	H	A	H	Y
	57	Atlantic Wire Wall	Permanent	90	15 m	L	DE	L	N
	60	MSE Retaining Wall	Pre-cast panel, Grid Strip reinforcement	90	15 m	H	DE	H	Y
	61	MSE Retaining Wall Grid Strip	Pre-cast panel, Grid Strip reinforcement	90	15 m	H	DE	H	Y

Structural
Retainment of Soil
 Retained Soil Systems (RSS), Wall / Slope

List # 9.70.56
 Page 2 of 4
 Date: 01-Oct-2021

CUSTODIAL OFFICE : SO - Foundations - (416) 235-3715

Company	RSS No.	Trade Identity	System	Max Angle (Deg)	Max Wall Height	App	Acc	Perf	Traffic Barrier
DECAST Ltd. 8807 County Road 56 Utopia ON L0M 1T0 Tel: 705-734-2892 Fax: 705-734-2920 Toll free: 800-461-5632 Web: www.decastltd.com	56	Gravix	Gravix Precast Wall System	90	8 m	H	DE	H	Y
Durisol 70 Frid Street Suite 1 Hamilton ON L8R 3K4 Tel: 289-975-4402 Fax: 905-521-8658 Email: lise.sorensen@durisol.com Web: www.durisol.com	2	Durisol	Post and Panel	90	4 m	H	A	H	Y
	25	Durisol Anchored Retaining Wall	Durisol Panel / T-Anchor	90	15 m	H	A	H	Y
Ontario Source: Layfield Canada Ltd. (ON) 117 Basaltic Road, Unit 2 Vaughan ON L4K 1G4 Canada Tel: 905-761-9123 Fax: 905-761-0035 Toll Free: 888-436-4273 Email: toronto@layfieldgroup.com Web: www.layfieldgroup.com	38	Enviro Slope Geogrid Wrap	Layfield LP T-Series Geogrid and TRM, Wrapped	45	6 m	L	DE	L	N
Ontario Source: Maccaferri Canada Ltd. 400 Collier MacMillan Dr. Unit B Cambridge ON N1R 7H7 Canada Tel: 519-623-9990 Fax: 519-623-1309 Toll Free: 800-668-9396 Email: info@maccaferri.ca Web: www.maccaferri.ca	19	Gabion Wall	Gabions with galvanized, PVC coated and PoliMac wire	90	8 m	L	A	M	N
	17	Terramesh System	Gabion Basket, wire mesh tie back, with galvanized, PVC coated and PoliMac wire	90	8 m	L	DE	M	N
	31	Green Terramesh System	Steep Slope with galvanized, PVC coated and PoliMac wire	70	8 m	L	DE	M	N
	37	Terrawall	Wire Mesh Facing and Tieback with galvanized, PVC coated and PoliMac wire	84	8 m	L	DE	M	N
	55	L Panel Wall	Temporary (Less Than 5 Years), Wire Mesh Facing, Geogrid Tieback	90	8 m	L	DE	L	N

Structural
Retainment of Soil
 Retained Soil Systems (RSS), Wall / Slope

List # 9.70.56
 Page 3 of 4
 Date: 01-Oct-2021

CUSTODIAL OFFICE : SO - Foundations - (416) 235-3715

Company	RSS No.	Trade Identity	System	Max Angle (Deg)	Max Wall Height	App	Acc	Perf	Traffic Barrier
Reinforced Earth Company Ltd. 1550 Enterprise Road, Suite 229 Mississauga ON L4W 4P4 Canada Tel: 905-564-0896 Fax: 905-564-2609 Email: info@recoCanada.com Web: www.reinforcedearth.ca	1	Reinforced Earth Reco Wall	Reinforced Earth Reco Wall - cruciform, square, rectangle panels	90	15 m	H	A	H	Y
	13	TERRATREL	Temporary	90	15 m	L	A	L	N
	10	TERRATREL	Reinforced Earth with cast-in-place facing	90	10 m	H	A	H	
	54	GEOMEGA	GeoMega Wall with GeoSynthetic Strips - GeoStrap / EcoStrap	90	9 m	H	DE	H	N
Canadian Source: Tensar International Corporation PO Box 152 51 Community Centre Rd Baltimore ON K0K 1C0 Canada Tel: 416-428-6121 Fax: 905-372-1179 Email: phewgill@tensarcorp.com Web: www.tensarcorp.com Ontario Source: Layfield Canada Ltd. (ON) 117 Basaltic Road, Unit 2 Vaughan ON L4K 1G4 Canada Tel: 905-761-9123 Fax: 905-761-0035 Toll Free: 888-436-4273 Email: toronto@layfieldgroup.com Web: www.layfieldgroup.com Ontario Source: Nilex 40 Audia Court, Unit 2 Vaughan ON L4K 3N4 Canada Tel: 416-640-6002 Fax: 416-640-6006 Email: toronto@nilex.com Web: www.nilex.com	8	Sierra BF	Blanket , Tensar Tieback	35	6 m	L	A	L	N
	18	Sierra GF	Wrap, Tensar Tieback	45	6 m	L	A	L	N
	5	Mesa	Block, Tensar Tieback	90	8 m	H	A	M	Y
	17	Sierra WF	Basket, Tensar Tieback, Temporary	90	8 m	L	A	L	N
	62	SierraScape WF	Wire Form (WF) Basket, Stone Face, Tensar UX Geogrid Tiebacks, Permanent	90	8 m	L	DE	L	N
	14	Sierra TF	Stacked Geocell, Tensar Tieback	70	8 m	M	A	M	N
	27	ARES	Full Height Concrete Panel, Tensar Tieback	90	8 m	A	A	H	Y

Structural
Retainment of Soil
 Retained Soil Systems (RSS), Wall / Slope

List # 9.70.56
 Page 4 of 4
 Date: 01-Oct-2021

CUSTODIAL OFFICE : SO - Foundations - (416) 235-3715

Company	RSS No.	Trade Identity	System	Max Angle (Deg)	Max Wall Height	App	Acc	Perf	Traffic Barrier
Ontario Source: TerraFix Geosynthetics Inc. 455 Horner Avenue Toronto ON M8W 4W9 Tel: 416-674-0363 Fax: 416-674-1159 Email: info@terrafixgeo.com Web: www.terrafixgeo.com	34	TerraSlope 35	Blanket, Stratagrid	35	6 m	L	DE	L	N
	35	TerraSlope 45	Wrap, Stratagrid	45	6 m	L	A	L	N
	36	TerraFort	Full Height Concrete Panel, Tenax Tieback, TMP GG60-GG160 Tieback	90	8 m	H	A	H	Y
	39	TerraSlope Web	Stacked Geocell, Stratagrid Tieback	70	8 m	M	A	M	N
	44	TerraSteep 60	Wire Facing, Geogrid Tie-back	60	6 m	L	DE	L	N
	45	TerraSteep 90	Temporary, Wire-Face, Geogrid Tie-back	90	8 m	L	DE	L	N
Ontario Source: The Miller Group (Gormley) 287 Ram Forest Road Gormley ON L0H 1G0 Canada Tel: 905-726-9518 Fax: 905-726-4180 Email: marketing@millergroup.ca Web: www.millergroup.ca	40	Miller Redi-Rock Gravity	Gravity Block Wall	90	2.7 m	H	DE	M	N
Unilock Toronto 287 Armstrong Avenue Georgetown ON L7G 4X6 Canada Tel: 416-646-9000 Fax: 905-874-3034 toll free: 800-UNILOCK Email: unilock@unilock.com Web: www.unilock.com Ontario Source: Risi Stone Systems on Behalf of Unilock Ltd 480 Harry Walker Parkway, Unit 10 Newmarket ON L3Y 0B3 Tel: 905 868 9255 Fax: 905 868 9254 Email: info@risistone.com Web: www.risistone.com	21	SIENA STONE	Gravity Block Wall	90	2.5 m	H	DE	M	N
	50	Siena Stone Geogrid System	Segmental Block Wall, Geogrid Tie-back	90	5 m	H	A	M	N