

**Structural**  
**Retainment of Soil**  
Retained Soil Systems (RSS), True Abutment

**List # 9.70.53**  
Page 1 of 1  
Date: 03-Aug-2021

CUSTODIAL OFFICE : SO - Foundations - (416) 235-3715

NOTES:

- Systems eligible for inclusion in MTO work are defined during the project design phase and identified in contract documents.
- Maximum angle is measured from the backface of the horizontal.
- Maximum wall height is for each continuous tier at maximum slope.
- Performance is a rating either High (H), Medium (M) or Low (L).
- Appearance is a rating either High (H), Medium (M) or Low (L).
- Acceptance is a category, with status of Demonstration (DE) or Acceptance (A).
- RSS is also identified as mechanically stabilized earth (MSE).
- Wall height greater than 12m requires project-specific review by MTO.
- Code requirements in CHBDC CSA S6-19 Section 6.19 - MSE Wall Systems.

Company	RSS No.	Trade Identity	Max Angle (Deg)	Max Wall Height	Appearance	Acceptance
<b>Reinforced Earth Company Ltd.</b> 1550 Enterprise Road, Suite 229 Mississauga ON L4W 4P4 Canada Tel: 905-564-0896 Fax: 905-564-2609 Email: info@recocanada.com Web: www.reinforcedearth.ca	8	Reinforced Earth Reco Wall (TA) - cruciform, square, rectangle panels	90	15 m	H	DE